

FIG. 2






FIG.3



F16.5

## TYPICAL COMPUTER CURRENT WAVEFORM 486 DX2-66 COMPUTER





F19.4


HARMONIC	no filter	filter	no filter	filter	no filter	filter	no filter	Eller
PHASE	A		В	******	-			filter
FINAL			┡		·c		NEUTRAL	
1	100	100	100	100	100	100	100	100
3	91.2	10.3	89.2	18	92.9	12.3	736.7	114.3
5	75.4	29.3	75.7	25.6	78.6	31.5	107.1	32.1
7	56.1	13.8	56.8	20.5	58.9	14	39.3	14.3
9	38.6	13.8	37.9	12.8	41.1	15.8	310.7	125
11	21	6.9	18.9	7.7	23.2	8.8	39.3	17.8
13	7	6.9	8.1	7.7	8.9	10.5	3.6	17.8
15	3.5	8.6	2.7	2.6	3.6	8.7	25	64.3
17	5.3	10.3	5.4	7.7	. 5.4	10.5	10.7	3.6
19	5.3	12	5.4	7.7	5.4	12.3	7.1	32
RMS AMPS	1.94	1.26	1.25	0.85	1.97	1.26	3.06	0.8

# **422360** # 16.6

F16.10











FIG. 13






FIG. 14




FIG. 15